



OUR EXCLUSIVE PRODUCTS RANGE

SZONE
100% PURE ACRYLIC

5H ANTI SCRATCH ACRYLIC

Spell
Create Your Imagination

FOLIO
COLLECTION

KORI
Live your interior...

JUST LIKE VENEER
PVC VENEER

Spell
Create Your Imagination

PET G SHEET
ANTI SCRATCH SHEET

WAISTLINE
ANTIQUÉ COLLECTION

PVC LAMINATE

Recommended Adhesive For Pressing



- PVC SHEET
- CHARCOAL SHEET
- ACRYLIC SHEET
- LAMINATE
- VENEER
- ACP SHEET

MARKETED BY
LAXMI INTERNATIONAL (MUMBAI)

SZONE
100% PURE ACRYLIC

KORI
Live your interior...

5H
ANTI SCRATCH ACRYLIC

SZONE
100% PURE ACRYLIC

KORITM
Live your interior...

5H
ANTI SCRATCH ACRYLIC



OUR EXCLUSIVE PRODUCTS RANGE

SZONE
100% PURE ACRYLIC

5H ANTI SCRATCH ACRYLIC

Spell
Create Your Imagination

FOLIO
COLLECTION

KORI
Live your interior...

JUST LIKE VENEER
PVC VENEER

Spell
Create Your Imagination

PET G SHEET
ANTI SCRATCH SHEET

WAISTLINE
ANTIQUE COLLECTION

PVC LAMINATE

Recommended Adhesive For Pressing



- PVC SHEET
- CHARCOAL SHEET
- ACRYLIC SHEET
- LAMINATE
- VENEER
- ACP SHEET

MARKETED BY
LAXMI INTERNATIONAL (MUMBAI)

SZONE
100% PURE ACRYLIC

KORI
Live your interior...

5H
ANTI SCRATCH ACRYLIC



SZONE
100% PURE ACRYLIC

KORITM
Live your interior...

5H
ANTI SCRATCH ACRYLIC



OUR EXCLUSIVE PRODUCTS RANGE

SZONE
100% PURE ACRYLIC

5H ANTI SCRATCH
ACRYLIC

Spell
Create Your Imagination

FOLIO
COLLECTION

KORI
Live your interior...

JUST LIKE VENEER
PVC VENEER

Spell
Create Your Imagination

PET G SHEET
ANTI SCRATCH SHEET

WAISTLINE
ANTIQUE COLLECTION

PVC LAMINATE

Recommended Adhesive For Pressing



- PVC SHEET
- CHARCOAL SHEET
- ACRYLIC SHEET
- LAMINATE
- VENEER
- ACP SHEET

MARKETED BY
LAXMI INTERNATIONAL (MUMBAI)

SZONE



5H

SZONE



KORI
Live your interior...

5H



creative

We bring to you a new fashion trend in contemporary homes, encompassing any piece of furniture with a shiny and highly reflective, super smooth, polished finish. It looks stunning. Imagine replicating this look with just about any type of furniture- from bathroom cabinets, to glossy living room furniture, to elegant fitted wardrobes in the bedroom. It creates a fabulous contemporary look in any modern house, apartment, showroom, office restaurants, receptions, conference room, retail counters etc.

This unique finish creates a smooth, clean, contemporary and minimalist feel in any home. It brightens up any room by reflecting light instead of absorbing it. By day, as long as there is some sunlight entering the house, your new glossy surfaces will keep the house feeling light and energetic. By night, it reflects artificial light provided by overhead lights and lamps. This adds another dimension to flat or dull spaces, and can completely change the look of a room. So go on, use these laminates and create your own masterpieces.

5H
ANTI SCRATCH
ACRYLIC



ZONE
100% PURE ACRYLIC

COLLECTION

Available in

Size - 2440mm x 1220mm | Thickness- 1.5mm (+/-10% to 15%)

APPLICATIONS

Kitchen

Worktops • Tables • Doors • Cabinets Trolleys

Bathroom

Worktops • Shelves • Cabinets

Furniture

Healthcare

Wall lining and Horizontal Surfaces • Cubicles Lockers • Cabinets • Trolleys

Commercial

Hospitality & Restaurant

Tables • Counter Tops • Doors • Cubicles • Lockers • Cabinets

Wall Cladding & Partition

GENERAL USE & CARE GUIDE

These laminates are manufactured with aesthetics and durability in mind, when used as recommended and with appropriate care, our laminates will last through

LAMINATES

- Cleaning should be done with water and clean, non-abrasive cloth.
- To remove more stubborn stains, use mild household cleansers like colin to gently wipe down with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solutions as these may damage the surface of the laminate.
- Do not place hot cookware directly on the laminate. Prolonged exposure to temperatures above 30 degrees Celsius may cause damage to the laminate surface.
- Do not use the laminate for purposes that it is not intended for (E.g. do not iron chop, hammer or expose the laminate to open flame)
- Outdoor application of the laminate with exposure to direct sunlight and weather conditions are not recommended.
- UV rays may de shape the laminate.
- Gloss surfaces are recommended only for vertical application.
- Do not use thinner and toluene on the surface of the this laminates, this may cause decolourisation of the surface.
- Store the laminates at temperature below 30 degrees celsius.
- Typically conform to internationally recognize technical standards.
- Have a thickness balance of +/-10%.
- Peel off the protective film after processing.

LIMITED WARRANTY

Our products are reasonably free of defects and when properly handled and fabricated will comply, within reasonable deviations to applicable manufacturing specifications. Clients are advised to inspect products thoroughly prior to installation. Our warranty will not cover defects and non-compliance from and or otherwise attributable to any other causes, including, without limitation,

- Improper handling / transportation / storage of the products
- Improper installation of the products
- Improper or unintended usage of the products
- Lack of improper maintenance of the products
- Exposure of the products to extreme temperatures
- Unauthorized alteration to the products
- outdoor applications

• NO GUARANTEE & NO EXCHANGE IN ANY CIRCUMSTANCES

- THERE CAN BE COLOUR VARIATION IN MATERIAL FROM DIFFERENT BATCHES
- IT IS ADVISED TO USE SAME BATCH MATERIAL TO AVOID COLOUR VARIATIONS
- ACTUAL COLOURS OF THE LAMINATE SHEET MAY VARY FROM THIS BROCHURE

Bonding of laminate under high humidity, plywood with high moisture content, ply with uneven surface, inferior quality adhesive and insufficient pressure may lead to delamination / air bubbles in between ply and laminate

DISCLAIMER

The Information provided in this catalog is for reference and serves as a guide only. Company does not warrant the accuracy and completeness of this information nor guarantee any of the properties of the product set out here. Suitability of design and application for use are to be determined by the client in consultations with its professional advisers. Company reserves the right to amend or update product description at any time. Company reserves the right to determine that the alleged defect complained about is insubstantial or trivial. company is not liable for any damage arising from or related to reliance on this catalog. The intellectual property in this catalog belong to its manufacturers

No Guarantee in any circumstances.
like crack, Bubble, Color Fade and color Variation
Please check material when delivered.



Please open the roll immediately
Do not pressurize while opening roll



Shake it well and lightly spray on the surface



Wipe the surface clean using a light circular motion



5H
ANTI SCRATCH
ACRYLIC



Anti-Scratch



Water Proof




Superior High Gloss

ZONE
100% PURE ACRYLIC




KR 101

SUPER WHITE




KR 104

EVEREST WHITE



KR 106

FROSTY WHITE



KR 102

DESIGNER WHITE




KR 105

MILKY WHITE




KR 155

SAND



KR 169

SNOW WHITE



KR 103

ALMOND IVORY



KR 107

FROSTY YELLOW

02
03





5H
ANTI SCRATCH
ACRYLIC




SZONE
100% PURE ACRYLIC



KR 111

PORPOISE GREY



KR 160

SILVER GLACIER




KR 113

DARK GREY



KR 172

LEAD GREY




KR 110

PEBBLE GREY




KR 112

TAUPE GREY



KR 109

ASH GREY



KR 108

ANCHOR



KR 170

FOSSIL GREY

04
05





5H
ANTI SCRATCH
ACRYLIC



SZONE
100% PURE ACRYLIC



KR 123

BITCH CANDY



KR 124

SYRUP



KR 128

PEANUT



KR 121

CHERMOULA



KR 126

HICKORY



KR 129

CAREFREE CORAL



KR 157

CEDAR



KR 158

OFF WHITE



KR 159

MASH CREAM

06
07



Angome



5H
ANTI SCRATCH
ACRYLIC



SZONE
100% PURE ACRYLIC



KR 115 BIRD HOUSE



KR 116 PANDA WHITE



KR 163 GREPHITE




KR 171 MARIGOLD



KR 118 MARIGREEN



KR 120 BASKET BEIGE



KR 114 SILVER PRIME



KR 125 ASPEN GOLD




KR 127 LABATROSS

08
09



Quality is in each detail



5H
ANTI SCRATCH
ACRYLIC



Anti Scratch




Water Proof



Superior High Gloss

SZONE
100% PURE ACRYLIC



KR 156

DURANGO



KR 167

AGATE IVORY




KR 117

COFFEE




KR 119

BEIGE




KR 168

BROWN BREAD




KR 166

SILK BROWN



KR 302

VINCENT VENEER





Cozy


5H
ANTI SCRATCH
ACRYLIC



SZONE
100% PURE ACRYLIC




KR 146 PEACOCK GREEN



KR 149 OCEAN LIGHT



KR 152 OCEAN BLUE



KR 131 PETROL BLUE



KR 162 DREAM GREEN



KR 165 DREAM LIGHT



KR 145 OCEAN GREEN

12
13





5H
ANTI SCRATCH
ACRYLIC



ANTI SCRATCH



WATER PROOF




SUPERIOR HYGIENE

SZONE
100% PURE ACRYLIC



KR 153

SCARLET RED



KR 151

HOMESPUN



KR 154

CINNABARK



KR 133

FROSTY PEARL




KR 135

RED PEARL



KR 161

CARDINAL RED



KR 130

CHEL PARK BLUE



KR 136

LILAC PEARL



KR 132

DARK PEARL

14
15






5H
ANTI SCRATCH
ACRYLIC



Anti Scratch



Water Proof




Superior High Gloss

SZONE
100% PURE ACRYLIC



KR 134

GREEN TEA




KR 164

QUIET PARK



KR 147


FRENCH MINT



KR 143

OLIVE GREEN


LOVE
MORE



KR 144

CHARTREUSE GREEN

16
17





5H
ANTI SCRATCH
ACRYLIC



SZONE
100% PURE ACRYLIC




KR 139 MELLON YELLOW




KR 138 PASTEL ORANGE



KR 137 MAIZE YELLOW




KR 148 LIGHT YELLOW



KR 140 CORAL RED




KR 150 CONCORD GRAPE




KR 141 BLACK



KR 142 ROYAL BLUE






USED LAMINATE
KR 303 00

5H
ANTI SCRATCH
ACRYLIC




ZONE
100% PURE ACRYLIC



KR 301 00


VINCENT VENEER



KR 303 00

CLRO VENEER

20
21





5H
ANTI SCRATCH
ACRYLIC



ZONE
100% PURE ACRYLIC



KR 202

WILLINGTON WOOD



KR 201

RAMIN WOOD DARK



5H
ANTI SCRATCH
ACRYLIC



Anti Scratch



Water Proof



Superior High Gloss

SZONE
100% PURE ACRYLIC

USED LAMINATE
KR 209



KR 203

CELTIS WALNUT COFFEE



KR 209

LANCE WOOD DARK



KR 208

IRISH OAK DARK

24

25



5H
ANTI SCRATCH
ACRYLIC



Anti Scratch



Water Proof



Superhigh Gloss

SZONE
100% PURE ACRYLIC



USED LAMINATE
KR 204



KR 204

REAL NASH OAK



KR 206

ZORO WOOD




KR 207

CLARO WALNUT DARK

26

27



faqs

Reasons for air bubble formations on Acrylic Sheets



Acrylic are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface



Insufficient or lack of pressing during the bonding period of laminate



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 ft long)

To avoid de lamination / air bubbles in between ply and laminate the above steps should be taken care of. Bonding of acrylic sheets shouldn't be completed under high humidity

Limited Warranty

Ozone Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. we recommend customers to inspect properly before installing. OZONE warranty in on way covers defects and non-compliance from or otherwise attributable ti any other causes, including without limitation the following:

- Improper handling / transportation / storage of OZONE
- Improper installation of OZONE
- Improper or unintended usage of OZONE
- Lack of or improper maintenance of OZONE
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- There will be no guarantee or exchange under any circumstances
- color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purposes only. Actual colors may differ.

Disclaimer

- Do not use plywood with high moisture content
- Do not use ply with uneven surface
- Avoid using inferior quality adhesive
- Apply sufficient pressure
- We do not recommend pasting of sheets on the printed/branding area of the plywood

100%
ORIGINAL
PURE ACRYLIC

technical specification



Parameters	Ozone Acrylic Laminate	High Gloss Laminate Mica	PU Coating / Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	5H Anti Scratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes

* There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations.

Actual colour of the Acrylic sheet may vary from this brochure.

"Recommended Adhesive For ACRYLIC SHEETS"



KORI
Live your interior...

KORI
Special Wood Adhesive for PVC, Acrylic & Charcoal Sheet

